

# UTILITY PATENT APPLICATION TRANSMITTAL

Submit an original and a duplicate for fee processing  
(Only for new nonprovisional applications under 37 CFR §1.53(b))

ADDRESS TO:

Commissioner of Patents and Trademarks  
Box Patent Application  
Washington, D.C. 20231

Attorney Docket No. 205726

First Named Inventor Bahl et al.

Express Mail No. EL643537549US

## APPLICATION ELEMENTS

1. ☒ Utility Transmittal Form
2. ☒ Specification (including claims and abstract) [Total Pages 33]
3. ☒ Drawings [Total Sheets 3]
4. ☒ Combined Declaration and Power of Attorney [Total Pages 4]
  - a. ☒ Newly executed
  - b. ☐ Copy from prior application [Note Box 5 below]
    - i. ☐ Deletion of Inventor(s) Signed statement attached deleting inventor(s) named in the prior application
5. ☐ Incorporation by Reference: The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
6. ☐ Microfiche Computer Program
7. ☐ Nucleotide and/or Amino Acid Sequence Submission
  - a. ☐ Computer Readable Copy
  - b. ☐ Paper Copy
  - c. ☐ Statement verifying above copies

## ACCOMPANYING APPLICATION PARTS

8. ☒ Assignment Papers (cover sheet and document(s))
9. ☐ Power of Attorney
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure Statement (IDS)
  - ☐ Form PTO-1449
  - ☐ Copies of References
12. ☐ Preliminary Amendment
13. ☒ Return Receipt Postcard (Should be specifically itemized)
14. ☐ Small Entity Statement(s)
  - ☐ Enclosed
  - ☐ Statement filed in prior application; status still proper and desired
15. ☐ Certified Copy of Priority Document(s)
16. ☐ Other:

17. If a **CONTINUING APPLICATION**, check appropriate box and supply the requisite information in (a) and (b) below:

- (a) ☐ Continuation ☐ Divisional ☐ Continuation-in-part of prior application Serial No. \_\_\_\_\_  
Prior application information: Examiner \_\_\_\_\_; Group Art Unit: \_\_\_\_\_
- (b) Preliminary Amendment: Relate Back - 35 USC §120. The Commissioner is requested to amend the specification by inserting the following sentence before the first line:  
"This is a ☐ continuation ☐ divisional of copending application(s)  
☐ Application No. \_\_\_\_\_, filed on \_\_\_\_\_,  
☐ International Application, filed on \_\_\_\_\_, and which designates the U.S."

## APPLICATION FEES

APPLICATION FEES				
BASIC FEE				\$710.00
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE	
Total Claims	22	-20=	2	x \$18.00 \$36.00
Independent Claims	8	-3=	5	x \$80.00 \$400.00
<input type="checkbox"/> Multiple Dependent Claim if applicable				+\$270.00 \$
Total of above calculations =				\$1146.00
Reduction by 50% for filing by small entity =				\$( )
<input checked="" type="checkbox"/> Assignment fee if applicable				+ \$40.00 \$40.00
TOTAL =				\$1186.00

11/16/00  
JC961 U.S. PTO

jc912 U.S. PTO

09/714406

11/16/00

## UTILITY PATENT APPLICATION TRANSMITTAL

Attorney Docket No. 205726

19. ☐ Please charge my Deposit Account No. 12-1216 in the amount of \$
20. ☒ A check in the amount of \$1186.00 is enclosed.
21. The Commissioner is hereby authorized to credit overpayments or charge any additional fees of the following types to Deposit Account No. 12-1216:
- a. ☒ Fees required under 37 CFR §1.16.
- b. ☒ Fees required under 37 CFR §1.17.
22. ☒ The Commissioner is hereby generally authorized under 37 CFR §1.136(a)(3) to treat any future reply in this or any related application filed pursuant to 37 CFR §1.53 requiring an extension of time as incorporating a request therefor, and the Commissioner is hereby specifically authorized to charge Deposit Account No. 12-1216 for any fee that may be due in connection with such a request for an extension of time.

## 23. CORRESPONDENCE ADDRESS

☒ Customer Number: 23460**23460**

PATENT TRADEMARK OFFICE



, Reg. No.

Leydig, Voit & Mayer, Ltd.  
Two Prudential Plaza, Suite 4900  
180 North Stetson  
Chicago, Illinois 60601-6780  
(312) 616-5600 (telephone)  
(312) 616-5700 (facsimile)

Name

Jeffery J. Makeever, Registration No. 37390

Signature

Date

November 16, 2000

## Certificate of Mailing Under 37 CFR §1.10

I hereby certify that this Utility Patent Application Transmittal and all accompanying documents are being deposited with the United States Postal Service "Express Mail Post Office To Addressee" Service under 37 CFR §1.10 on the date indicated below and is addressed to: Commissioner of Patents and Trademarks, Box Patent Application, Washington, D.C. 20231.

Carlton Owens

Name of Person Signing

Signature

November 16, 2000

Date

# SYSTEM AND METHOD FOR PERFORMING CLIENT-CENTRIC LOAD BALANCING OF MULTIPLE GLOBALLY-DISPERSED SERVERS

5

## TECHNICAL FIELD

This invention relates generally to systems and methods for performing server load balancing across multiple globally dispersed web servers, and more particularly relates to systems and methods for performing such global load balancing based on client-centric parameters such as physical proximity, server availability, network latency, etc.

## BACKGROUND OF THE INVENTION

While the Internet began in the late 1960's as a experimental wide-area computer network connecting only important research organizations in the U.S., the advent of the TCP/IP (Transmission Control Protocol/Internet Protocol) protocol suite in the early 1980's fueled the rapid expansion of this network from a handful of hosts to a network of tens of thousands of hosts. This expansion has continued at an accelerating pace, and resulted in the mid-1990's in the transition of the Internet to the use of multiple commercial backbones connecting millions of hosts around the world. These new commercial backbones carry a volume of over 600 megabits per second (over ten thousand times the bandwidth of the original ARPAnet). This rapid expansion now enables tens of millions of people to connect to the Internet for communication, collaboration, the conduction of business and consumer sales, etc. This new economy enabled by the modern Internet serves a global community of users and businesses without borders and without time constraints common in the brick-and-mortar economy.

While it may have originally been possible to host a company's Web site on a single server machine, the shear volume of users on the Internet virtually precludes

such single server hosting in a manner that allows reliable and timely e-commerce to be conducted thereon. Specifically, the number of requests that may be handled per second by a single server is limited by the physical capabilities of that server. As the number increases, the server performance and response time to each individual

5 request declines, possibly to a point where additional requests are denied service by the server that has reached its connection servicing limit. As further connections are attempted, server failure may occur. To overcome this problem, many hosts have implemented multiple-server clusters for the hosting of the business' Websites to increase the volume and performance seen by clients while visiting these Websites.

10 To ensure that no single server machine within a host cluster becomes overloaded, modern host clusters utilize server load balancing mechanisms to ensure distribution of the client load between the available server machines.

While such a cluster architecture greatly improves a host's ability to serve an increasing number of clients, hosting a Web site at a single physical location,

15 regardless of the number of server machines at that location, still suffers from network latencies caused by the globally dispersed distribution of the clients who may connect to that single physical location from any point on the globe. Further, reliance on a single physical location for the hosting of an entire enterprise's Website subjects that enterprise to the possibility of failure of its ability to serve any clients if a failure at

20 that site occurs. Such failures include long-term power outages, natural disasters, network outages, etc.

To provide redundancy of operation, to minimize the risk of an entire enterprise's presence on the Internet being lost, and to decrease network latencies caused by long-distance communication from globally dispersed clients, many

25 enterprises have begun to utilize multiple, globally dispersed servers to host mirrored

Websites at different points around the globe. These multiple web servers typically host an enterprise's Web site having identical content with all of the other globally dispersed servers, and are typically accessed via the same domain name. In this way, the probability of any single client located anywhere in the world of successfully reaching and being served by an enterprise's web server is greatly enhanced, regardless of failure or overloading at any one server location.

Since multiple physical servers positioned at globally dispersed locations are accessible via an identical domain name, a mechanism is required to correctly resolve the domain name to an individual IP address to enable a client to connect and be served by a single web server. A simplistic method for returning only a single IP address to any particular client enabled by a Domain Name Server (DNS) that is authoritative for that domain name is known as a round robin system. In operation, the authoritative DNS simply returns one of the lists of available IP addresses upon query from the client's name server. Upon the next inquiry from a client name server, the authoritative DNS returns the next IP address in its list of available IP addresses. This mechanism continues until all of the available IP addresses have been provided in response to successive queries, at which point the authoritative DNS repeats from the top of the list.

While such a round robin scheme distributes the client traffic among the various servers, it does so without regard to server availability, capacity, physical proximity to the client, network latency, etc. As a result, it is possible for a client located in the same physical proximity with an enterprise's web server to be directed to a mirrored web server for that enterprise physically located thousands of miles away in another country and having a much smaller capacity and, therefore, a greatly increased network latency than the server at the client's proximate location.

Recognizing the limitations of the DNS-based round robin mechanism, several companies have introduced global load sharing products that purport to provide a more performance-based mechanism for returning an IP address for a server that will yield better performance than the round robin approach provided by DNS. One such

5 system redirects end user service requests to the closest server as determined by client-to-server proximity and/or client-to-server link latency (round-trip times) to achieve increased access performance and reduced transmission costs. Unfortunately, such systems are typically employed at a single server site for the enterprise. As such, the monitoring of actual network latencies for any particular client to any particular

10 server site location is not possible. Instead, such systems typically simulate client traffic to the distributed servers to determine network latencies. Alternatively, such systems employ physical proximity between a client's location and a particular web server's location as the primary determining factor in returning that server's IP address to the client. Unfortunately physical proximity alone may not have much

15 bearing on the best performing web site for a particular client's location. As such, such systems cannot guarantee optimum performance from any particular client's location. There are systems that deploy load balancing agents at the various sites of the enterprise (not just one site) and figure out the latency to the client from each of these sites to determine the best one. This scheme, however, does not simulate the

20 real-life situation of a client going to a server as accurately as can be done from a location close to the client.

As an alternative to performing some type of load balancing across multiple enterprise servers, other systems provide local caching of Web site content for access by physically proximate clients. Such systems change the web page content of their

25 client enterprises by changing the uniform resource locators (URLs) in it to point to

the domain of the local cached content. In this system, name queries for the enterprise domain are handled by separate DNS servers for the cached content system.

Unfortunately, such systems remove content control, at least for a short period of time, from the enterprise itself as its content is cached on the localized system.

- 5 Indeed, such localized caching of Website content duplicates the services provided by the globally dispersed servers employed by the enterprise to ensure reliable performance to its clients.

There exists, therefore, a need in the art for a system of global load balancing for globally dispersed servers that overcomes these and other known problems  
10 existing in the art.

### **SUMMARY OF THE INVENTION**

The inventive concepts of the instant invention involve a mechanism and infrastructure for performing global load balancing across a plurality of globally dispersed Websites of a customer from a location close to the client.

- 15 As discussed above, to increase system robustness and to reduce network latencies resulting from servicing clients over large physical distances many companies have begun utilizing multiple Web servers located throughout the country, and indeed throughout different locations worldwide. In order to provide the best possible client experience, the connection loads need to be balanced across these  
20 multiple sites based on server load/availability, physical client proximity, network latency between the client and server, network costs, etc. While several companies have developed mechanisms to provide some form of global load balancing, none of these current systems measure actual network latency from physical locations close to the various clients. As a result, a particular client may be directed to a particular web

server when, in fact, a different web server may have smaller latencies and give better performance from the client's physical location.

The system and infrastructure of the instant invention overcome this problem by performing global load balancing from physical locations in close proximity to the actual client. This system of Distributed Global Load Balancing (DGLB) includes a DNS with a load balancer component (DNS-LB) located at or in close physical proximity to every Internet service provider (ISP) POP. This DNS-LB is also preferably a client of the ISP, and therefore is configured with the addresses of the ISPs DNS (DNS-ISP). These DNS-LBs form the first level of the DGLB DNS hierarchy. This first level exists in close proximity to the clients, and comprises potentially tens of hundreds or thousands of DNS-LBs to properly globally load balance all client locations. At a second level of the DGLB DNS hierarchy, a set of DNS servers (DNS-B) are deployed on the backbones or on regional providers (National/Regional backbones, Internet exchange points). These will be typically few (likely to be in single digits or low tens).

In operation, the DNS-LBs maintain current knowledge of the ISP's DNS address, and periodically notify the DNS-B machines about the addresses of the DNS-ISP servers. These regionally located DNS-B servers maintain a mapping of the DNS-ISP addresses to their corresponding DNS-LB addresses so that the DNS-Bs may direct requests to the proper, proximately located DNS-LB. This proper DNS-LB provides the required address information for the best Web server (or ordered list of addresses from best to worst) to the DNS-ISP. This DNS-ISP will cache the address information for the appropriate authoritative Website as determined by the DNS-LB for that particular client. This address is then provided to the client who will then direct its traffic to that site.



In an alternate embodiment of the invention, the DNS-LB also performs the function of a caching engine. In this embodiment, the DNS-B responds to the name query by giving the address of the DNS-LB corresponding to the DNS-ISP that sent the request through the referral process described above. When the address

5 information is provided to the client, it sends its HTTP request to the DNS-LB who then acts as a proxy cache for the request. The DNS-LB is smart enough to retrieve the cacheable content from either the closest Website or another closer proxy server that has the content required. This mechanism provides high performance for client requests in a manner that is totally oblivious to the ISPs.

10 In a further alternate embodiment of the invention, the DNS-LBs also provide information about the best site (or ordered list) to DNS-Bs that can then respond to the name query by providing the address of the best site or the addresses of the sites ordered from best to worst. In this embodiment the DNS-LBs act as measurement services near the client (using various measured values to determine the best site  
15 based on policy) communicating their results to the DNS-Bs.

Additional features and advantages of the invention will be made apparent from the following detailed description of illustrative embodiments, which proceeds with reference to the accompanying figures.

### **BRIEF DESCRIPTION OF THE DRAWINGS**

20 While the appended claims set forth the features of the present invention with particularity, the invention, together with its objects and advantages, may be best understood from the following detailed description taken in conjunction with the accompanying drawings of which:

Figure 1 is a block diagram generally illustrating an exemplary computer  
25 system on which the present invention resides;

Figure 2 is a simplified infrastructure diagram illustrating an embodiment of the distributed global load balancing system of the present invention;

Figure 3 is a simplified symbolic address table mapping diagram illustrating one aspect of the present invention; and

5        Figure 4 is a simplified protocol packet illustration utilized in one embodiment of the present invention for communicating address mapping information.

## **DETAILED DESCRIPTION OF THE INVENTION**

Turning to the drawings, wherein like reference numerals refer to like elements, the invention is illustrated as being implemented in a suitable computing environment. Although not required, the invention will be described in the general context of computer-executable instructions, such as program modules, being executed by a personal computer. Generally, program modules include routines, programs, objects, components, data structures, etc. that perform particular tasks or implement particular abstract data types. Moreover, those skilled in the art will appreciate that the invention may be practiced with other computer system configurations, including hand-held devices, multi-processor systems, microprocessor based or programmable consumer electronics, network PCs, minicomputers, mainframe computers, and the like. The invention may also be practiced in distributed computing environments where tasks are performed by remote processing devices that are linked through a communications network. In a distributed computing environment, program modules may be located in both local and remote memory storage devices.

Figure 1 illustrates an example of a suitable computing system environment 100 on which the invention may be implemented. The computing system environment 100 is only one example of a suitable computing environment and is not intended to suggest any limitation as to the scope of use or functionality of the invention. Neither should the computing environment 100 be interpreted as having any dependency or requirement relating to any one or combination of components illustrated in the exemplary operating environment 100.

The invention is operational with numerous other general purpose or special purpose computing system environments or configurations. Examples of well known

computing systems, environments, and/or configurations that may be suitable for use with the invention include, but are not limited to, personal computers, server computers, hand-held or laptop devices, multiprocessor systems, microprocessor-based systems, set top boxes, programmable consumer electronics, network PCs, minicomputers, mainframe computers, distributed computing environments that include any of the above systems or devices, and the like.

The invention may be described in the general context of computer-executable instructions, such as program modules, being executed by a computer. Generally, program modules include routines, programs, objects, components, data structures, etc. that perform particular tasks or implement particular abstract data types. The invention may also be practiced in distributed computing environments where tasks are performed by remote processing devices that are linked through a communications network. In a distributed computing environment, program modules may be located in both local and remote computer storage media including memory storage devices.

With reference to Figure 1, an exemplary system for implementing the invention includes a general purpose computing device in the form of a computer 110. Components of computer 110 may include, but are not limited to, a processing unit 120, a system memory 130, and a system bus 121 that couples various system components including the system memory to the processing unit 120. The system bus 121 may be any of several types of bus structures including a memory bus or memory controller, a peripheral bus, and a local bus using any of a variety of bus architectures. By way of example, and not limitation, such architectures include Industry Standard Architecture (ISA) bus, Micro Channel Architecture (MCA) bus, Enhanced ISA (EISA) bus, Video Electronics Standards Associate (VESA) local bus, and Peripheral Component Interconnect (PCI) bus also known as Mezzanine bus.

Computer 110 typically includes a variety of computer readable media.

Computer readable media can be any available media that can be accessed by computer 110 and includes both volatile and nonvolatile media, removable and non-removable media. By way of example, and not limitation, computer readable media may comprise computer storage media and communication media. Computer storage media includes both volatile and nonvolatile, removable and non-removable media implemented in any method or technology for storage of information such as computer readable instructions, data structures, program modules or other data. Computer storage media includes, but is not limited to, RAM, ROM, EEPROM, flash memory or other memory technology, CD-ROM, digital versatile disks (DVD) or other optical disk storage, magnetic cassettes, magnetic tape, magnetic disk storage or other magnetic storage devices, or any other medium which can be used to store the desired information and which can be accessed by computer 110. Communication media typically embodies computer readable instructions, data structures, program modules or other data in a modulated data signal such as a carrier wave or other transport mechanism and includes any information delivery media. The term "modulated data signal" means a signal that has one or more of its characteristics set or changed in such a manner as to encode information in the signal. By way of example, and not limitation, communication media includes wired media such as a wired network or direct-wired connection, and wireless media such as acoustic, RF, infrared and other wireless media. Combinations of the any of the above should also be included within the scope of computer readable media.

The system memory 130 includes computer storage media in the form of volatile and/or nonvolatile memory such as read only memory (ROM) 131 and random access memory (RAM) 132. A basic input/output system 133 (BIOS),

containing the basic routines that help to transfer information between elements within computer 110, such as during start-up, is typically stored in ROM 131. RAM 132 typically contains data and/or program modules that are immediately accessible to and/or presently being operated on by processing unit 120. By way of example, and not limitation, Figure 1 illustrates operating system 134, application programs 135, other program modules 136, and program data 137.

The computer 110 may also include other removable/non-removable, volatile/nonvolatile computer storage media. By way of example only, Figure 1 illustrates a hard disk drive 140 that reads from or writes to non-removable, nonvolatile magnetic media, a magnetic disk drive 151 that reads from or writes to a removable, nonvolatile magnetic disk 152, and an optical disk drive 155 that reads from or writes to a removable, nonvolatile optical disk 156 such as a CD ROM or other optical media. Other removable/non-removable, volatile/nonvolatile computer storage media that can be used in the exemplary operating environment include, but are not limited to, magnetic tape cassettes, flash memory cards, digital versatile disks, digital video tape, solid state RAM, solid state ROM, and the like. The hard disk drive 141 is typically connected to the system bus 121 through a non-removable memory interface such as interface 140, and magnetic disk drive 151 and optical disk drive 155 are typically connected to the system bus 121 by a removable memory interface, such as interface 150.

The drives and their associated computer storage media discussed above and illustrated in Figure 1, provide storage of computer readable instructions, data structures, program modules and other data for the computer 110. In Figure 1, for example, hard disk drive 141 is illustrated as storing operating system 144, application programs 145, other program modules 146, and program data 147. Note

that these components can either be the same as or different from operating system 134, application programs 135, other program modules 136, and program data 137. Operating system 144, application programs 145, other program modules 146, and program data 147 are given different numbers hereto illustrate that, at a minimum, they are different copies. A user may enter commands and information into the computer 20 through input devices such as a keyboard 162 and pointing device 161, commonly referred to as a mouse, trackball or touch pad. Other input devices (not shown) may include a microphone, joystick, game pad, satellite dish, scanner, or the like. These and other input devices are often connected to the processing unit 120 through a user input interface 160 that is coupled to the system bus, but may be connected by other interface and bus structures, such as a parallel port, game port or a universal serial bus (USB). A monitor 191 or other type of display device is also connected to the system bus 121 via an interface, such as a video interface 190. In addition to the monitor, computers may also include other peripheral output devices such as speakers 197 and printer 196, which may be connected through an output peripheral interface 190.

The computer 110 may operate in a networked environment using logical connections to one or more remote computers, such as a remote computer 180. The remote computer 180 may be another personal computer, a server, a router, a network PC, a peer device or other common network node, and typically includes many or all of the elements described above relative to the personal computer 110, although only a memory storage device 181 has been illustrated in Figure 1. The logical connections depicted in Figure 1 include a local area network (LAN) 171 and a wide area network (WAN) 173, but may also include other networks. Such networking

environments are commonplace in offices, enterprise-wide computer networks, intranets and the Internet.

When used in a LAN networking environment, the personal computer 110 is connected to the LAN 171 through a network interface or adapter 170. When used in a WAN networking environment, the computer 110 typically includes a modem 172 or other means for establishing communications over the WAN 173, such as the Internet. The modem 172, which may be internal or external, may be connected to the system bus 121 via the user input interface 160, or other appropriate mechanism. In a networked environment, program modules depicted relative to the personal computer 110, or portions thereof, may be stored in the remote memory storage device. By way of example, and not limitation, Figure 1 illustrates remote application programs 185 as residing on memory device 181. It will be appreciated that the network connections shown are exemplary and other means of establishing a communications link between the computers may be used.

In the description that follows, the invention will be described with reference to acts and symbolic representations of operations that are performed by one or more computer, unless indicated otherwise. As such, it will be understood that such acts and operations, which are at times referred to as being computer-executed, include the manipulation by the processing unit of the computer of electrical signals representing data in a structured form. This manipulation transforms the data or maintains it at locations in the memory system of the computer, which reconfigures or otherwise alters the operation of the computer in a manner well understood by those skilled in the art. The data structures where data is maintained are physical locations of the memory that have particular properties defined by the format of the data. However, while the invention is being described in the foregoing context, it is not meant to be



limiting as those of skill in the art will appreciate that various of the acts and operation described hereinafter may also be implemented in hardware.

The distributed global load balancing (DGLB) system of the instant invention is illustrated in the simplified infrastructure diagram of Figure 2 to which specific reference is now made. The environment into which the DGLB of the instant invention is utilized includes a business enterprise having multiple server locations 200, 202, etc. positioned at globally-dispersed locations to host the content of the enterprise's Web site. While only two separate sites 200, 202, are illustrated in Figure 2, one skilled in the art will recognize that additional server sites may be included as determined by an enterprise's client base and performance criteria it wishes to achieve. There also exists an authoritative domain name server (DNS-A) 204 that is capable of providing the IP address information for the enterprise's server sites 200, 202 upon inquiry from an Internet service provider's DNS (DNS-ISP) 206 on behalf of a client 208. Also existing in this environment is the root domain name server 210, and possibly intermediate domain name servers (not shown) that, through successive inquiries well known in the art, will eventually refer the DNS-ISP 206 to the DNS-A 204 for the enterprise's Web site sought by the client 208.

The distributed global load balancing system of the instant invention adds to this environment an infrastructure of multiple load balancing domain name servers (DNS-LBs) 212, 214, 216, etc. Each of these DNS-LBs 212, 214, 216, etc. are located in close physical proximity to each Internet service provider's point of presence (POP) to which a client 208 can connect with a local telephone call. In this way, each DNS-LB is in close physical proximity to each client 208 being served by that particular ISP. As will now be apparent, this embodiment of the invention utilizes one DNS-LB per DNS-ISP. If the ISP chooses to service several POPs with

one DNS-ISP, an embodiment of the invention will provide one DNS-LB for all those POPs. However, since it is expected that the DNS-ISP would be close to the POPs it is serving, the DNS-LB will also be close to the clients served by these POPs.

These multiple DNS-LBs 212, 214, 216, etc. form the first level of the DNS hierarchy of the instant invention, one that is in close physical proximity to the clients.

As will be well appreciated by those skilled in the art, the number of DNS-LBs may number in the tens of hundreds or thousands to cover all client locations throughout the world. These DNS-LBs are preferably clients of the ISP, and will therefore be configured with the address of the ISP's domain name server (DNS-ISP) 206. In this way, the DNS-LBs will be informed of any address change of the ISP's DNS 206 from the ISP.

The second level of the DNS hierarchy provided by the distributed global load balancing system of the instant invention comprises a set of DNS servers (DNS-Bs) 218 deployed on the Internet backbones (Sprint, MCI, AT&T, UUNET, etc.) or on regional providers by agreement with these carriers (Regional backbones, Internet exchange points). These DNS-Bs 218 receive address mapping information from each of the DNS-LBs 212, 214, 216, etc. to associate these load balancing domain name servers with their physically proximate DNS-ISPs 206. These DNS-Bs 218 also receive information from the authoritative domain name servers (DNS-As) 204 for the various enterprises who have chosen to utilize the services provided by the distributed global load balancing system of the instant invention. This information includes the IP addresses of the various globally distributed server sites 200, 202, etc. that host the enterprise's Web site content. These DNS-Bs 218 provide their IP address to the DNS-As 204 so that proper referral may be made to the distributed global load

balancing system upon inquiry for the IP address of the one of the enterprise's Web sites.

Having now described the basic infrastructure of the distributed global load balancing system of the instant invention, the operation of the DGLB will be described with continuing reference to Figure 2. As discussed briefly above, once an enterprise decides to utilize the distributed global load balancing system of the instant invention, that enterprise's Web site IP name to address mapping information is communicated from the authoritative DNS (DNS-A) 204 to the backbone deployed domain name servers (DNS-B) 218, etc. These DNS-Bs 218, etc. also provide the authoritative DNS-A 204 IP address information that the DNS-A may provide in response to a query for IP address information for its Web sites. This communication of information may take place interactively as illustrated by the communication line 220, or may take place off-line as desired. An advantage of providing on-line communication between these DNS servers 218, 204 is that changes in IP address information for an existing customer or for a new customer wanting to have its sites globally load balanced may be communicated without the delays normally associated with off-line updates. Once the backbone deployed domain name servers 218, etc. have the IP address information for the various contracting enterprises' Web sites, this information may be communicated to the numerous first-level load balancing domain name servers (DNS-LB) 212, 214, 216, etc. via communication lines 222, 224, and 226. This information may be multicast to all of the load balancing domain name servers in the first level of the DGLB infrastructure, or it may be unicast to only particular load balancing domain name servers to whom an inquiry is being referred. One skilled in the art will recognize that information provided to DNS-Bs by DNS-As and to DNS-LBs by DNS-Bs can be cached by the respective DNSs until they get an

update due to subsequent changes in sites addresses. The load balancer on DNSLBs will proactively check the health/availability and network latency of the sites periodically, e.g. every few minutes (or other period that is configurable), or upon receiving a query. Communication between DNS-As, DNS-Bs, and DNS-LBs as shown by communication lines 220, 222, 224, 226 can be through a reliable communications protocol such as TCP, or through some other communications protocol as desired.

Once the requisite domain name servers in the first and second level of the DNS hierarchy of the DGLB acquire the IP address information of the contracting enterprise's Web site server locations, the load balancing domain name servers 212, 214, 216, etc. must communicate to the backbone deployed domain name servers 218, etc. mapping information relating their IP address to their physically proximate Internet service provider's domain name server's IP address. By providing such mapping information to the backbone deployed domain name servers 218, etc., these DNS-Bs 218, etc. are capable of properly referring IP address inquiries to the load balancing DNS that is most closely located to the DNS-ISP and therefore the client from whom the IP address request has originated.

This mapping information may be provided from the load balancing domain name servers 212, 214, 216, etc. via the illustrated communication connections 222, 224, 226, etc. As will be recognized from the foregoing description, this mapping information needs to be communicated from each of the physically proximate load balancing domain name servers in the first level of the DNS hierarchy to each of the backbone deployed domain name servers in the second level. Each of these backbone deployed domain name servers 218, etc. will utilize this information to construct and maintain a mapping table such as that illustrated in simplified form in Figure 3. As

may be seen from this simplified mapping table of Figure 3, the load balancing domain name server's IP address 228 is related to the ISP's domain name server's IP address 230. While Figure 3 illustrates symbolic representations of the IP addresses of the various load balancing and ISP domain name servers, one skilled in the art will

5 recognize that the actual IP address is utilized to provide the proper mapping for referral of client-originated requests to the proper load balancing domain name server in closest physical proximity thereto.

This information may be provided from the load balancing domain name servers 212, 214, 216, etc. to the various backbone deployed domain name servers

10 218, etc. by transmitting a simple packet of information such as that illustrated in Figure 4. If this information is to be transmitted utilizing TCP/IP, the packet may include the IP header 232 that contains the source address of the load balancing domain name server and the destination address of the backbone deployed domain name server. In the TCP header section 234 of this exemplary packet, the source port

15 of the load balancing DNS and the destination port of the backbone deployed DNS may be included. Finally, this exemplary packet includes a map protocol header 236 that includes the IP address of the load balancing DNS and the IP address of the ISP's domain name server associated with that particular load balancing domain name server.

20 Returning again to the infrastructure diagram of Figure 2, the method of providing global load balancing across multiple, globally dispersed server locations that host an enterprise's Web site information will now be described. Upon initial inquiry 238 from a client 208 for the IP address of a particular Web site address, e.g. www.foobar.com, that client's ISP domain name server 206 checks to determine

25 whether it can resolve the IP address itself. If the DNS-ISP 206 cannot resolve the IP

address, it queries 240 the root server 210 for the IP address. The root DNS 210 will then refer the DNS-ISP 206 (possibly through one or more referrals) to the foobar enterprise's DNS that is authoritative for foobar.com (DNS-A) 204. The DNS-ISP 206 will then query 242 the DNS-A 204 for the IP address for foobar.com. Instead of  
 5 returning the IP address, DNS-A 204 will again refer the DNS-ISP 206 to the DNS-B 218 through a delegation record. Once this referral is received, the DNS-ISP 206 will query 244 the DNS-B 218 for the IP address for foobar.com. Again, instead of returning the IP address for foobar.com to the DNS-ISP 206, the DNS-B 218 will refer the DNS-ISP 206 to a load balancing domain name server in accordance with the  
 10 mapping table stored therein (see Figure 3). In the illustrated example, this referral will provide the IP address for the DNS-LB 212. The DNS-ISP 206 will then query 246 the DNS-LB 212 for the IP address for foobar.com. This is done through the DNS CNAME mechanism. That is, DNS-B 218 maps www.foobar.com to <anylabel>.www.foobar.com through CNAME RR type. It, therefore, redirects  
 15 (refers) the DNS-ISP 206 to the closest DNS-LB 212 for <anylabel>.www.foobar.com.

The DNS-LB 212 knows which foobar.com site of the several that exist is most well equipped at that particular time to handle the request from that client 208 location. This information is acquired by periodically checking the response time of  
 20 the sites by performing HTTP operations against it. The load balancing domain name servers employ various characteristics and criteria to determine this information, including response time, to determine which of the several available sites should service the client's request from that physical location. The DNS-LB 212 then returns the IP address for the selected site to the DNS-ISP 206. The DNS-ISP 206 caches that  
 25 request or a time-to-live (TTL) that is returned with the query response from the DNS-

LB 212. The DNS-ISP 206 then returns 248 this address to the client 208. The client 208 is then able to direct its traffic to the particular server site that has been determined to provide it with the best operating characteristics by the DNS-LB 212 located in close physical proximity to it.

5           In this way, the client 208 is directed to a particular server site that will provide it the lowest network latency (enhanced performance), that results in the lowest cost for the content delivery, that is in the closest physical proximity, or that is a combination of any or all of the above as determined by the enterprise policy. These performance measurements may utilize well known mechanisms including the

10   downloading of web pages, determining the number of resets and abnormal terminations, and other various known mechanisms available in the art. However, unlike current systems that utilize these mechanisms, the infrastructure provided by the DGLB of the instant invention allows these performance measures to be

15   conducted at physical locations in close proximity to the individual clients, thereby providing the most accurate measure of performance as will be seen by that particular client from his physical location.

          Since, as described above, the referral process happens every TTL, it does not unduly burden the IP address resolution to add two more domain name servers (DNS-B and DNS-LB) to the referral chain. The referral to the backbone deployed domain

20   name server has a long TTL, such as, for example, one day, while the referral to the DNS-LB has a shorter TTL, such as, for example, one hour. The actual IP address returned by the DNS-LB has a very short TTL, such as 5 minutes, so that subsequent client requests will be referred to a particular server site that is currently providing the optimum performance. Through this mechanism, the ISP is totally oblivious to the

25   presence of the DNS-LBs. The system of the invention refers queries for load

balanced sites to DNS-LB through the normal DNS referral mechanism to resolve an IP address, which allows the DNS-LB to gain control of how the request is answered.

While the embodiment of the infrastructure of the DGLB of the instant invention shown in Figure 2 illustrates separate DNS-ISP and DNS-LB components, one skilled in the art will recognize that the functionality provided by these two components may be combined into a single DNS-ISP (DNS-ISP-LB). As such, the DNS-ISP-LB would become authoritative for the Web sites who have contracted for the global load balancing from the client location through the system of the instant invention. DNS-ISP-LB would receive the information concerning the various IP addresses for the particular Web sites from the DNS-Bs initially, or as an inquiry is received from a client for that information as discussed above for the non-combined case.

For the DNS-ISP-LB case (where DNS-ISP and DNS-LB are combined) it is possible for the DNS-ISP-LB to serve multiple POPs that are not close to the DNS-ISP-LB's location. To allow the DNS-ISP-LB to perform metrics from a location closer to the POPs than its own location, the DNS-ISP-LB can utilize Measurement Service Agents (MService) located close to the POPs (there can be one MService per POP or for a set of POPs that are close to it). The performance metrics can be communicated to the DNS-ISP-LB (or retrieved by the DNS-ISP-LB) by each MService periodically, e.g. every 5 minutes (or other configurable period), or when the DNS-ISP-LB receives a query.

In the embodiment where the metrics are communicated/retrieved periodically, the DNS-ISP-LB will use the most recently received performance metrics from the MService that is close to the client's POP to determine which site's address to return to the client's address query. The DNS-ISP-LB determines the closest MService to



the client's POP by matching the addresses of the MServices against that of the client. Since each MService will be a client of the POP, its address will be from the same address prefix as the other clients of the same POP, allowing for a match. One skilled in the art will recognize that other matching mechanisms may be used as appropriate. For example, the DNS-ISP-LB could maintain a map of client IP prefixes from the various POPs and the addresses of the MService agent for those prefixes or POPs. This mapping table would be similar to the table maintained by DNS-B discussed herein.

As a further alternative embodiment, for the non-combined case, the DNS-LBs could send the Web site response information to the DNS-Bs so that they may directly respond to an inquiry from a particular client with the proper Web site location that will provide that client the best performance from his physical location. The information provided from the DNS-LBs could be a listing from best to worst of the server site IP addresses, or only the current best IP address as desired. In this embodiment, the DNS-LBs really are not performing a DNS service, but instead are monitoring the performance of the contracted server sites from locations in close proximity to the clients at that physical locale. It is noted that while best performance will be achieved by providing a DNS-LB at each ISP POP, acceptable performance may well be achieved by deploying fewer DNS-LBs providing more regional than local performance measure.

As a further alternative embodiment, the DNS-LBs could also perform the function of a caching engine. In this embodiment, the DNS-Bs respond to the name query by returning the IP address of the DNS-LB corresponding to the DNS-ISP that sent it the request (through the referral process) as the address for www.foobar.com. Alternatively, the DNS-B refers the DNS-ISP to the DNS-LB and the DNS-LB returns

its own address instead of the address of the best performing site. The client 208 then sends its HTTP request to the DNS-LB. When that DNS-LB gets the HTTP request, it acts as a proxy cache for the request. Since the DNS-LB includes the ability to measure the performance from that physical location to the various server sites, it  
5 retrieves the cacheable content from either the closest or best performing foobar site or another closer proxy server that has the content, which is providing the best network latency. In the combined case (DNS-ISP-LB), the DNS-ISP-LB would return the address of the closest MService that is acting as a cache.

In view of the many possible embodiments to which the principles of this  
10 invention may be applied, it should be recognized that the embodiment described herein with respect to the drawing figures is meant to be illustrative only and should not be taken as limiting the scope of invention. For example, those of skill in the art will recognize that the elements of the illustrated embodiment shown in software may be implemented in hardware and vice versa or that the illustrated embodiment can be  
15 modified in arrangement and detail without departing from the spirit of the invention. Therefore, the invention as described herein contemplates all such embodiments as may come within the scope of the following claims and equivalents thereof.

## CLAIMS

### **We claim:**

1. A system for performing client-centric load balancing of multiple globally-dispersed servers, the servers being accessed by clients connecting through an ISP having a domain name server (DNS-ISP), the servers further having an authoritative domain name server (DNS-A) associated therewith, the system comprising:
  - a first domain name server deployed on an Internet backbone (DNS-B); and
  - a plurality of load balancing domain name servers (DNS-LBs) deployed in close physical proximity to the clients, the DNS-LBs having stored therein IP address information of the multiple globally-dispersed servers to be load balanced, the DNS-LBs each sending mapping information to the DNS-B relating the DNS-LB's IP address to an IP address of the DNS-ISP to which it is in close physical proximity, the DNS-LBs determining performance characteristics of each of the multiple globally-dispersed servers.
2. The system of claim 1, wherein the DNS-B stores the mapping information for the plurality of DNS-LBs to forward IP address queries to one of the DNS-LBs closest to the DNS-ISP from which the IP address query originated, and wherein the DNS-LB closest to the DNS-ISP returns the IP address to the DNS-ISP of the server having the best performance characteristics.
3. The system of claim 1, wherein the DNS-B stores the mapping information for the plurality of DNS-LBs to forward IP address queries to one of the DNS-LBs closest

to the DNS-ISP from which the IP address query originated, and wherein the DNS-LB closest to the DNS-ISP returns the IP address of the DNS-LB to the DNS-ISP.

4. The system of claim 1, wherein the DNS-B provides its IP address information to the DNS-A to enable the DNS-A to forward IP address queries to the  
5 DNS-B.

5. The system of claim 4, wherein the DNS-B receives IP address information from the DNS-A for the servers to be load balanced.

10 6. The system of claim 1, wherein the DNS-LB is a client of the DNS-ISP.

7. The system of claim 1, further comprising a DNS-B deployed on each Internet backbone, and wherein each DNS-B contains the mapping information for all  
15 of the DNS-LBs stored therein.

8. The system of claim 1, wherein the DNS-LB transmits updated mapping information upon a change of an IP address of the DNS-ISP.

20 9. The system of claim 1, wherein each of the DNS-LBs transmit performance information of the servers to the DNS-B, and wherein the DNS-B utilizes the mapping information to determine the proper DNS-LB performance information to utilize to select the IP address of the server having the best performance characteristics to return to the DNS-ISP from which an IP address query  
25 originated.

10. A method of performing client-centric load balancing of multiple globally-dispersed servers, the servers being accessed by clients connecting through an ISP having a domain name server (DNS-ISP), the servers further having an authoritative domain name server (DNS-A) associated therewith, the method  
 5 comprising the steps of:

receiving IP address information from the DNS-A for the servers to be load balanced;

providing the IP address information to a plurality of load balancing domain  
 10 name servers (DNS-LB);

receiving mapping information associating DNS-ISP IP address information to IP address information of a proximately located DNS-LB capable of determining server performance from a location physically proximate to the ISP's point of presence; and

15 referring address inquiries from a DNS-ISP to a physically proximate DNS-LB in accordance with the mapping information.

11. A computer-readable medium having computer executable-instructions for performing the steps of claim 10.

20

12. A method of performing client-centric load balancing of multiple globally-dispersed servers, the servers being accessed by clients connecting through an ISP having a domain name server (DNS-ISP), the servers further having an authoritative domain name server (DNS-A) associated therewith, the method  
 25 comprising the steps of:

obtaining, by a load balancing domain name server (DNS-LB), IP address information for a DNS-ISP located in close physical proximity to the DNS-LB;

providing a mapping of an IP address of the DNS-LB to the IP address information of the DNS-ISP to an external domain name server;

- 5        receiving IP address information for the servers;
- monitoring performance of the servers at the received IP addresses; and
- providing at least one IP address for a server in response to a name query selected based on the monitoring step.

- 10       13.     The method of claim 12, further comprising the steps of:
  - detecting a change in the DNS-ISP IP address; and
  - updating the mapping of the IP address of the DNS-LB to the IP address information of the DNS-ISP to the external domain name server.

- 15       14.     The method of claim 12, further comprising the steps of
  - receiving selection criteria for the selection of an IP address;
  - receiving a name query from the DNS-ISP; and
  - wherein the step of providing at least one IP address for a server in response to a name query selected based on the monitoring step further comprises the step of
- 20       providing at least one IP address for a server in response to a name query selected based on the monitoring step and on the selection criteria.

15.     A computer-readable medium having computer-executable instructions for performing the steps of claim 12.

16. A method of performing client-centric load balancing of multiple globally-dispersed servers, the servers being accessed by clients connecting through an ISP having a domain name server (DNS-ISP), the servers further having an authoritative domain name server (DNS-A) associated therewith, the method

5 comprising the steps of:

receiving an IP address of a domain name server to which name queries are to be forwarded for load balancing;

providing IP address information for the servers to the domain name server;

and

10 forwarding name queries from the DNS-ISP to the IP address of the domain name server.

17. A computer-readable medium having computer-executable instructions for performing the steps of claim 16.

15

18. A computer-readable medium having stored thereon a data structure, comprising:

a first data field containing IP address information for an Internet service provider's domain name server (DNS-ISP);

20 a second data field containing IP address information for a load balancing domain name server (DNS-LB); and

wherein the first data field and the second data field are associated to one another so as to provide a mapping from the IP address of the DNS-ISP to the IP address of the DNS-LB.

25

19. The computer-readable medium of claim 17, wherein the first data field comprises a first column of data fields containing a plurality of IP address entries for a plurality of DNS-ISPs, wherein the second data field comprises a second column of data fields containing a plurality of IP address entries for a plurality of DNS-LBs, and wherein an association between each entry in the first column and each entry in the second column forms mapping rows from each DNS-ISP IP address to a DNS-LB IP address.

20. A method of performing client-centric load balancing of multiple globally-dispersed servers, the servers being accessed by clients connecting through Internet service providers (ISPs) at a point of presence (POP), each ISP having a domain name server (DNS-ISP), the servers further having an authoritative domain name server (DNS-A) associated therewith containing information regarding the IP addresses of the servers, the method comprising the steps of:

- 15       deploying a first plurality of load balancing domain name servers (DNS-LBs) in close physical proximity to the ISP POPs;
- deploying a second plurality of second level domain name servers (DNS-Bs) on the Internet backbones and regional provides;
- communicating IP address information for the DNS-Bs to the DNS-As to
- 20       enable the DNS-As to refer name queries to the DNS-Bs;
- providing, by the DNS-LBs to the DNS-B, mapping information associating an IP address of the DNS-LB to an IP address of the physically proximate DNS-ISP to enable the DNS-B to refer name queries from a DNS-ISP to the physically proximate DNS-LB; and
- 25       communicating IP address information of the servers to the DNS-LBs;



monitoring, by the DNS-LBs at a location physically proximate to the ISP POP, performance of the servers; and

providing, by the DNS-LB in response to a query from the DNS-ISP, the IP address of a server based on the step of monitoring.

5

21. A method of performing client-centric load balancing of multiple globally-dispersed servers, the servers being accessed by clients connecting through Internet service providers (ISPs) at a point of presence (POP), each ISP having a load balancing domain name server (DNS-ISP-LB), the servers further having an authoritative domain name server (DNS-A) associated therewith containing information regarding the IP addresses of the servers, the method comprising the steps of:

deploying a first plurality of measurement service agents (MServices) in close physical proximity to the ISP POPs;

15 monitoring, by the MServices at a location physically proximate to the ISP POP, performance of the servers; and

providing, by the DNS-ISP-LB in response to a query from the client, the IP address of a server based on the step of monitoring.

20

22. A method of performing client-centric load balancing of multiple globally-dispersed servers, the servers being accessed by clients connecting through Internet service providers (ISPs) at a point of presence (POP), each ISP having a load balancing domain name server (DNS-ISP-LB), the servers further having an authoritative domain name server (DNS-A) associated therewith containing

information regarding the IP addresses of the servers, the method comprising the steps of:

deploying a first plurality of measurement service agents (MServices) in close physical proximity to the ISP POPs;

5 monitoring, by the MServices at a location physically proximate to the ISP POP, performance of the servers; and

providing, by the DNS-ISP-LB in response to a query from the client, an IP address of the MService.

10

11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202

**ABSTRACT OF THE INVENTION**

Presented is a system and a method for load balancing multiple globally-dispersed servers based on client-centric performance criteria. The infrastructure of the system includes load balancing domain name servers (DNS-LBs) deployed in close physical proximity to the Internet service providers' points of presence. The DNS-LBs are then able to monitor the performance of the servers from a location close to the clients, which allows the DNS-LBs to select a server that will yield the best performance from that location for the client. A second level of the infrastructure utilizes domain name servers (DNS-Bs) that are deployed on the Internet backbones and regional provides. The authoritative domain name servers (DNS-As) for the servers to be load balanced refer all name queries to these DNS-Bs. The DNS-Bs then refer the queries to one of the DNS-LBs based on a mapping of the DNS-ISP address to its physically proximate DNS-LB. The DNS-LB then returns the IP address of the server that will provide the best performance from that location.





FIG. 1

**FIG. 2**





PATENT APPLICATION

Invention Title:  
SYSTEM AND METHOD FOR PERFORMING CLIENT-CENTRIC LOAD  
BALANCING OF MULTIPLE GLOBALLY-DISPERSED SERVERS

Inventors:			
BAHL, Pradeep	US	Redmond	Washington
INVENTOR'S NAME	CITIZENSHIP	CITY OF RESIDENCE	STATE or FOREIGN COUNTRY
SUN, Feng	PR China	Issaquah	Washington
INVENTOR'S NAME	CITIZENSHIP	CITY OF RESIDENCE	STATE or FOREIGN COUNTRY
ABOBA, Bernard D.	US	Bellevue	Washington
INVENTOR'S NAME	CITIZENSHIP	CITY OF RESIDENCE	STATE or FOREIGN COUNTRY
MILLER, Arnold S.	US	Alexandria	Virginia
INVENTOR'S NAME	CITIZENSHIP	CITY OF RESIDENCE	STATE or FOREIGN COUNTRY
INVENTOR'S NAME	CITIZENSHIP	CITY OF RESIDENCE	STATE or FOREIGN COUNTRY
INVENTOR'S NAME	CITIZENSHIP	CITY OF RESIDENCE	STATE or FOREIGN COUNTRY

Be it known that the inventors listed above have invented a certain new and useful  
invention with the title shown above of which the following is a specification.

COMBINED DECLARATION AND POWER OF ATTORNEY

As below named inventor, I hereby declare that

This declaration is of the following type:

- ☒ original ☐ design ☐ supplemental  
☐ national stage of PCT  
☐ divisional ☐ continuation ☐ continuation-in-part

My residence, post office address, and citizenship are as stated below next to my name. I believe I am the original, first, and sole inventor (*if only one name is listed below*) or an original, first, and joint inventor (*if plural names are listed below*) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

**"SYSTEM AND METHOD FOR PERFORMING CLIENT-CENTRIC  
LOAD BALANCING OF MULTIPLE GLOBALLY-DISPERSED  
SERVERS"**

the specification of which:

- ☒ is attached hereto.  
☐ was filed on \_\_\_\_\_ as Serial No. \_\_\_\_\_ and was amended on \_\_\_\_\_. (*if applicable*).  
☐ was filed by Express Mail No. \_\_\_\_\_ as Serial No. not known yet, and was amended on \_\_\_\_\_ (*if applicable*).  
☐ was described and claimed in PCT International Application No. \_\_\_\_\_ filed on \_\_\_\_\_ and as amended under PCT Article 19 on \_\_\_\_\_ (*if any*).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claim(s), as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, § 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed.

COUNTRY	APPLICATION	DATE OF FILING (day,month,year)	PRIORITY CLAIMED UNDER 35 USC 119			
				YES		NO
				YES		NO
				YES		NO



In re Application of Bahl et al.  
Serial Number not yet assigned

I hereby claim the benefit pursuant to Title 35, United States Code, § 119(e) of the following United States provisional application(s):

PRIOR U.S. PROVISIONAL APPLICATIONS CLAIMING THE BENEFIT UNDER 35 USC 119(e)	
APPLICATION NO.	DATE OF FILING

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56 which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application.

PRIOR U.S. APPLICATIONS OR PCT INTERNATIONAL APPLICATIONS DESIGNATING THE U.S. FOR BENEFIT UNDER 35 USC 120					
U.S. APPLICATIONS			Status (check one)		
U.S. APPLICATIONS	U.S. FILING DATE		PATENTED	PENDING	ABANDONED
1.					
2.					
3.					
PCT APPLICATIONS DESIGNATING THE U.S.			Status (check one)		
PCT APPLICATION No.	PCT FILING DATE	U.S. SERIAL NOS. ASSIGNED (if any)	PATENTED	PENDING	ABANDONED
4.					
5.					
6.					

DETAILS OF FOREIGN APPLICATIONS FROM WHICH PRIORITY CLAIMED UNDER 35 USC 119 FOR ABOVE LISTED U.S./PCT APPLICATIONS				
ABOVE APPLN. No.	COUNTRY	APPLICATION No.	DATE OF FILING (day,month,yr)	DATE OF ISSUE (day,month,yr)
1.				
2.				
3.				
4.				

In re Application of Bahl et al.  
Serial Number not yet assigned

As a named inventor, I hereby appoint the following attorneys to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

Berton Scott Sheppard, Reg. 20922  
James B. Muskal, Reg. 22797  
Dennis R. Schlemmer, Reg. 24703  
Gordon R. Coons, Reg. 20821  
John E. Rosenquist, Reg. 26356  
John W. Kozak, Reg. 25117  
Charles S. Oslakovic, Reg. 27583  
Mark E. Phelps, Reg. 28461  
H. Michael Hartmann, Reg. 28423  
Bruce M. Gagala, Reg. 28844  
Charles H. Mottier, Reg. 30874  
John Kilyk, Jr., Reg. 30763  
Robert F. Green, Reg. 27555  
John B. Conklin, Reg. 30369  
James D. Zalewa, Reg. 27848  
John M. Belz, Reg. 30359  
Brett A. Hesterberg, Reg. 31837  
Jeffrey A. Wyand, Reg. 29458

Paul J. Korniczky, Reg. 32849  
Pamela J. Ruschau, Reg. 34242  
Steven P. Petersen, Reg. 32927  
John M. Augustyn, Reg. 33589  
Christopher T. Griffith, Reg. 33392  
Wesley O. Mueller, Reg. 33976  
Jeremy M. Jay, Reg. 33587  
Jeffrey B. Burgan, Reg. 35463  
Eley O. Thompson, Reg. 36035  
Mark Joy, Reg. 35562  
Allen E. Hoover, Reg. 37354  
David M. Airan, Reg. 38811  
Xavier Pillai, Reg. 39799  
Y. Kurt Chang, Reg. 41397  
Gregory C. Bays, Reg. 40505  
Carol Larcher, Reg. 35243  
Steven H. Sklar, Reg. 42154  
M. Daniel Hefner, Reg. 41826  
Daniel D. Crouse, Reg. 32022

Thomas A. Belush, Reg. 37090  
Kenneth P. Spina, Reg. 43927  
Song Zhu, Reg. 44420  
Andrew J. Heinisch, Reg. 43666  
Jeffery J. Makeever, Reg. 37390  
Salim A. Hasan, Reg. 38175  
Richard A. Wulff, Reg. 42238  
Jamison E. Lynch, Reg. 41168  
Vladan M. Vasiljevic, Reg. 45177  
Rattan Nath, Reg. 43827  
Robert M. Gould, Reg. 43642  
Len Smith, Reg. 43139  
Kevin L. Wingate, Reg. 38662  
David J. Schodin, Reg. 41294  
Paul L. Ahern, Reg. 17020  
Theodore W. Anderson, Reg. 17035  
Noel I. Smith, Reg. 18698  
Phillip M. Pippenger, Reg. 46055  
Katie E. Sako, Reg. 32628

I further direct that correspondence concerning this application be directed to Customer Number 23460.



**23460**

PATENT TRADEMARK OFFICE

I hereby declare that all statements made herein of my own knowledge are true, that all statements made on information and belief are believed to be true, that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of sole or first inventor: Pradeep Bahl

Inventor's signature

Date

10/27/00

Country of Citizenship: US

Residence: 21502 NE 84<sup>th</sup> Street, Redmond, Washington 98053

Post Office Address: Same as above

Full name of second joint inventor: Feng Sun

Inventor's signature

Date

10/27/2000

Country of Citizenship: PR China

Residence: 25542 SE 41<sup>st</sup> Court, Issaquah, Washington 98029

Post Office Address: Same as above

Post Office Address: Same as above

COMBINED DECLARATION AND POWER OF ATTORNEY

As below named inventor, I hereby declare that

This declaration is of the following type:

- ☒ original ☐ design ☐ supplemental  
☐ national stage of PCT  
☐ divisional ☐ continuation ☐ continuation-in-part

My residence, post office address, and citizenship are as stated below next to my name. I believe I am the original, first, and sole inventor (*if only one name is listed below*) or an original, first, and joint inventor (*if plural names are listed below*) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

"SYSTEM AND METHOD FOR PERFORMING CLIENT-CENTRIC  
LOAD BALANCING OF MULTIPLE GLOBALLY-DISPERSED  
SERVERS"

the specification of which:

- ☒ is attached hereto.  
☐ was filed on \_\_\_\_\_ as Serial No. \_\_\_\_\_ and was amended on \_\_\_\_\_. (*if applicable*).  
☐ was filed by Express Mail No. \_\_\_\_\_ as Serial No. not known yet, and was amended on \_\_\_\_\_ (*if applicable*).  
☐ was described and claimed in PCT International Application No. \_\_\_\_\_ filed on \_\_\_\_\_ and as amended under PCT Article 19 on \_\_\_\_\_ (*if any*).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claim(s), as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, § 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed.

COUNTRY	APPLICATION	DATE OF FILING (day,month,year)	PRIORITY CLAIMED UNDER 35 USC 119			
				YES		NO
				YES		NO
				YES		NO

In re Application of Bahl et al.  
Serial Number not yet assigned

I hereby claim the benefit pursuant to Title 35, United States Code, § 119(e) of the following United States provisional application(s):

PRIOR U.S. PROVISIONAL APPLICATIONS CLAIMING THE BENEFIT UNDER 35 USC 119(e)	
APPLICATION NO.	DATE OF FILING

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56 which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application.

PRIOR U.S. APPLICATIONS OR PCT INTERNATIONAL APPLICATIONS DESIGNATING THE U.S. FOR BENEFIT UNDER 35 USC 120					
U.S. APPLICATIONS			Status ( <i>check one</i> )		
U.S. APPLICATIONS	U.S. FILING DATE		PATENTED	PENDING	ABANDONED
1.					
2.					
3.					
PCT APPLICATIONS DESIGNATING THE U.S.			Status ( <i>check one</i> )		
PCT APPLICATION No.	PCT FILING DATE	U.S. SERIAL NOS. ASSIGNED (if any)	PATENTED	PENDING	ABANDONED
4.					
5.					
6.					

DETAILS OF FOREIGN APPLICATIONS FROM WHICH PRIORITY CLAIMED UNDER 35 USC 119 FOR ABOVE LISTED U.S./PCT APPLICATIONS				
ABOVE APPLN. No.	COUNTRY	APPLICATION No.	DATE OF FILING (day,month,yr)	DATE OF ISSUE (day,month,yr)
1.				
2.				
3.				
4.				

In re Application of Bahl et al.  
Serial Number not yet assigned

As a named inventor, I hereby appoint the following attorneys to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

Berton Scott Sheppard, Reg. 20922  
James B. Muskal, Reg. 22797  
Dennis R. Schlemmer, Reg. 24703  
Gordon R. Coons, Reg. 20821  
John E. Rosenquist, Reg. 26356  
John W. Kozak, Reg. 25117  
Charles S. Oslakovic, Reg. 27583  
Mark E. Phelps, Reg. 28461  
H. Michael Hartmann, Reg. 28423  
Bruce M. Gagala, Reg. 28844  
Charles H. Mottier, Reg. 30874  
John Kilyk, Jr., Reg. 30763  
Robert F. Green, Reg. 27555  
John B. Conklin, Reg. 30369  
James D. Zalewa, Reg. 27848  
John M. Belz, Reg. 30359  
Brett A. Hesterberg, Reg. 31837  
Jeffrey A. Wyand, Reg. 29458

Paul J. Korniczky, Reg. 32849  
Pamela J. Ruschau, Reg. 34242  
Steven P. Petersen, Reg. 32927  
John M. Augustyn, Reg. 33589  
Christopher T. Griffith, Reg. 33392  
Wesley O. Mueller, Reg. 33976  
Jeremy M. Jay, Reg. 33587  
Jeffrey B. Burgan, Reg. 35463  
Eley O. Thompson, Reg. 36035  
Mark Joy, Reg. 35562  
Allen E. Hoover, Reg. 37354  
David M. Airan, Reg. 38811  
Xavier Pillai, Reg. 39799  
Y. Kurt Chang, Reg. 41397  
Gregory C. Bays, Reg. 40505  
Carol Larcher, Reg. 35243  
Steven H. Sklar, Reg. 42154  
M. Daniel Hefner, Reg. 41826  
Daniel D. Crouse, Reg. 32022

Thomas A. Belush, Reg. 37090  
Kenneth P. Spina, Reg. 43927  
Song Zhu, Reg. 44420  
Andrew J. Heinisch, Reg. 43666  
Jeffery J. Makeever, Reg. 37390  
Salim A. Hasan, Reg. 38175  
Richard A. Wulff, Reg. 42238  
Jamison E. Lynch, Reg. 41168  
Vladan M. Vasiljevic, Reg. 45177  
Rattan Nath, Reg. 43827  
Robert M. Gould, Reg. 43642  
Len Smith, Reg. 43139  
Kevin L. Wingate, Reg. 38662  
David J. Schodin, Reg. 41294  
Paul L. Ahern, Reg. 17020  
Theodore W. Anderson, Reg. 17035  
Noel I. Smith, Reg. 18698  
Phillip M. Pippenger, Reg. 46055  
Katie E. Sako, Reg. 32628

I further direct that correspondence concerning this application be directed to Customer Number 23460.



**23460**

PATENT TRADEMARK OFFICE

I hereby declare that all statements made herein of my own knowledge are true, that all statements made on information and belief are believed to be true, that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of **sole or first inventor**: Pradeep Bahl

Inventor's signature \_\_\_\_\_

Date \_\_\_\_\_

Country of Citizenship: US

Residence: 21502 NE 84<sup>th</sup> Street, Redmond, Washington 98053

Post Office Address: Same as above

Full name of **second joint inventor**: Feng Sun

Inventor's signature \_\_\_\_\_

Date \_\_\_\_\_

Country of Citizenship: PR China

Residence: 25542 SE 41<sup>st</sup> Court, Issaquah, Washington 98029

Post Office Address: Same as above

Year	Country	Population (millions)	Urban population (millions)	Urban population (%)	Population density (per sq km)	Urban population density (per sq km)	Population growth rate (%)	Urban population growth rate (%)	Population growth rate (per 1,000)	Urban population growth rate (per 1,000)	Population growth rate (per 1,000)	Urban population growth rate (per 1,000)
1950	India	360	100	28	170	1,000	1.8	1.8	18	18	18	18
1955	India	370	110	30	180	1,100	2.0	2.0	20	20	20	20
1960	India	380	120	32	190	1,200	2.2	2.2	22	22	22	22
1965	India	390	130	33	200	1,300	2.4	2.4	24	24	24	24
1970	India	400	140	35	210	1,400	2.6	2.6	26	26	26	26
1975	India	410	150	37	220	1,500	2.8	2.8	28	28	28	28
1980	India	420	160	38	230	1,600	3.0	3.0	30	30	30	30
1985	India	430	170	40	240	1,700	3.2	3.2	32	32	32	32
1990	India	440	180	41	250	1,800	3.4	3.4	34	34	34	34
1995	India	450	190	42	260	1,900	3.6	3.6	36	36	36	36
2000	India	460	200	43	270	2,000	3.8	3.8	38	38	38	38
2005	India	470	210	45	280	2,100	4.0	4.0	40	40	40	40
2010	India	480	220	46	290	2,200	4.2	4.2	42	42	42	42
2015	India	490	230	47	300	2,300	4.4	4.4	44	44	44	44
2020	India	500	240	48	310	2,400	4.6	4.6	46	46	46	46
2025	India	510	250	49	320	2,500	4.8	4.8	48	48	48	48
2030	India	520	260	50	330	2,600	5.0	5.0	50	50	50	50
2035	India	530	270	51	340	2,700	5.2	5.2	52	52	52	52
2040	India	540	280	52	350	2,800	5.4	5.4	54	54	54	54
2045	India	550	290	53	360	2,900	5.6	5.6	56	56	56	56
2050	India	560	300	54	370	3,000	5.8	5.8	58	58	58	58
2055	India	570	310	54	380	3,100	6.0	6.0	60	60	60	60
2060	India	580	320	55	390	3,200	6.2	6.2	62	62	62	62
2065	India	590	330	56	400	3,300	6.4	6.4	64	64	64	64
2070	India	600	340	57	410	3,400	6.6	6.6	66	66	66	66
2075	India	610	350	57	420	3,500	6.8	6.8	68	68	68	68
2080	India	620	360	58	430	3,600	7.0	7.0	70	70	70	70
2085	India	630	370	59	440	3,700	7.2	7.2	72	72	72	72
2090	India	640	380	59	450	3,800	7.4	7.4	74	74	74	74
2095	India	650	390	60	460	3,900	7.6	7.6	76	76	76	76
2100	India	660	400	61	470	4,000	7.8	7.8	78	78	78	78

Inventor's signature \_\_\_\_\_

Country of Citizenship: US

Residence: 15600 NE 8<sup>th</sup> Street Suite B1-606, Bellevue, Washington 98008-3917

Post Office Address: Same as above

Full name of fourth joint inventor: Arnold S. Miller

Inventor's signature W. S. Miller

Date Oct 25, 2000

Country of Citizenship: US

Residence: 517 1/2 South Royal Street, Alexandria, Virginia 22314

Post Office Address: Same as above